

**IN THE CLAIMS:**

Claims 1-32 (Canceled).

33. (New) A method of preparing a composition for the treatment of dermatological disorders, comprising the steps of: filtering coal tar to remove impurities by filter compression and preparing a composition wherein the composition includes the filtered coal tar.

34. (New) A method as in Claim 33, further comprising the step of adding zinc pyrithione into the composition.

35. (New) A method as in Claim 33, wherein the coal tar is filtered by being fed through a compressed charcoal filter.

36. (New) A method as in Claim 35, wherein the coal tar is fed through the filter at approximately 17 to 19 psi.

37. (New) A method as in Claim 35, wherein the coal tar is fed through the filter at approximately 18 psi.

38. (New) A method as in Claim 35, further comprising the step of using compressed air to force the coal tar through the compressed charcoal filter.

39. (New) A method as in Claim 35, further comprising the step of leaving the coal tar in the compressed charcoal filter for 8 hours.

40. (New) A method as in Claim 35, further comprising the step of boiling a fluid that has been passed through the compressed charcoal filter.

41. (New) A method as in Claim 40, wherein the fluid that has been passed through the compressed charcoal filter is boiled for 5 minutes.

42. (New) A method as in Claim 40, wherein the boiled, filtered fluid is allowed to cool to room temperature.

43. (New) A method as in Claim 40, further comprising the step of refiltering a top layer of the boiled, filtered fluid.

44. (New) A method as in Claim 43, wherein refiltering is through a nylon mesh.

45. (New) A method as in Claim 33, where a surfactant is added to the formulation.

46. (New) A method as in Claim 45, wherein the surfactant is an ionic surfactant.

47. (New) A method as in Claims 45, wherein the surfactant is sodium lauryl sulphate.

48. (New) A method as in any Claim 33, wherein a carrier is added to the formulation.

49. (New) A method as in Claim 48, wherein the carrier is isopropyl myristate.

50. (New) A method as in Claim 48, wherein the carrier is ethyl alcohol.

50. (New) A method as in Claim 35, wherein a plurality of carriers are added to the formulation.

51. (New) A method as in Claim 33, further comprising the step of placing the composition in a container selected from the group consisting of a spray container and an aerosol container.

52. (New) A composition for the treatment of dermatological disorders comprising:

coal tar;

zinc pyrithione;

at least one surfactant; and

at least one carrier.

53. (New) A method as in Claim 52, further comprising allantoin.

54. (New) A composition as in Claim 52, wherein the at least one surfactant is an ionic surfactant.

55. (New) A composition as in Claim 52, wherein the at least one surfactant is sodium lauryl sulphate.

56. (New) A composition as in Claim 52, wherein the at least one carrier is isopropyl myristate.

57. (New) A composition as in Claim 52, wherein the at least one carrier is ethyl alcohol.

58. (New) A composition as in Claim 52, further comprising an anti-fungal agent.

59. (New) A composition as in Claim 58, wherein the anti-fungal agent is undecylenic acid.

60. (New) A composition as in Claim 52, wherein the composition is provided in a spray form.

61. (New) A composition as in Claim 52, wherein the composition is provided in an aerosol form.

62. (New) A composition for the treatment of dermatological disorders, comprising:

zinc pyrithione;

alcoholic extract of coal tar;

allantoin;

sodium lauryl sulphate;

isopropyl myristate;

ethyl alcohol; and

undecylenic acid.

63. (New) A composition as in Claim 62, wherein the zinc pyrithione is approximately 0.20% of the composition, the alcoholic extract of coal tar is approximately 0.25% of the composition, the allantoin is approximately 0.25% of the composition, the sodium lauryl sulphate is approximately 0.10% of the composition, the isopropyl myristate is approximately 49.45% of the composition, the ethyl alcohol is approximately 49.45% of the composition, and the undecylenic acid is approximately 0.30% of the composition.

64. (New) A composition as in Claim 62, wherein the composition is provided in a spray form.

65. (New) A composition as in Claim 62, wherein the composition is provided in an aerosol form.